



Qualification Vendor List											
Intel CPU											
Product Name	Vendor	Code Name	Q-Spec	Stepping	Cache	# of Cores	Processor Base Frequency	Max Turbo Frequency	TDP	Memory Types	Note
Sapphire Rapids											
Don't write "Test Items" under this line!!!											
Intel® Xeon® Gold 5411N Processor	Intel	Sapphire Rapids	Q27X	S-3	45	24	1.9	3.9	165	4400	
Intel® Xeon® Gold 5412U Processor	Intel	Sapphire Rapids	Q27H	S-3	45	24	2.1	3.9	185	4400	
Intel® Xeon® Gold 5415+ Processor	Intel	Sapphire Rapids	Q27C	S-3	22.5	8	2.9	4.1	150	4400	
Intel® Xeon® Gold 5416S Processor	Intel	Sapphire Rapids	Q281	S-3	30	16	2	4	150	4400	
Intel® Xeon® Gold 5418N Processor	Intel	Sapphire Rapids	Q27W	S-3	45	24	1.8	3.8	165	4000	
Intel® Xeon® Gold 5418Y Processor	Intel	Sapphire Rapids	Q27G	S-3	45	24	2	3.8	185	4400	
Intel® Xeon® Gold 5420+ Processor	Intel	Sapphire Rapids	Q27K	S-3	52.5	28	2	4.1	205	4400	
Intel® Xeon® Gold 6414U Processor	Intel	Sapphire Rapids	Q234	E-5	60	32	2	3.4	250	4800	
Intel® Xeon® Gold 6416H Processor	Intel	Sapphire Rapids	Q27Q	S-3	45	18	2.2	4.2	165	4800	
Intel® Xeon® Gold 6418H Processor	Intel	Sapphire Rapids	Q27R	S-3	60	24	2.1	4	185	4800	
Intel® Xeon® Gold 6421N Processor	Intel	Sapphire Rapids	Q27Z	S-3	60	32	1.8	3.6	185	4800	
Intel® Xeon® Gold 6426Y Processor	Intel	Sapphire Rapids	Q27E	S-3	37.5	16	2.5	4.1	185	4800	
Intel® Xeon® Gold 6428N Processor	Intel	Sapphire Rapids	Q27Y	S-3	60	32	1.8	3.8	185	4800	
Intel® Xeon® Gold 6430 Processor	Intel	Sapphire Rapids	Q23B	E-5	60	32	2.1	3.4	270	4400	
Intel® Xeon® Gold 6434 Processor	Intel	Sapphire Rapids	Q273	S-3	22.5	8	3.7	4.1	195	4800	
Intel® Xeon® Gold 6434H Processor	Intel	Sapphire Rapids	Q27P	S-3	22.5	8	3.7	4.1	195	4800	
Intel® Xeon® Gold 6438M Processor	Intel	Sapphire Rapids	Q282	S-3	60	32	2.2	3.9	205	4800	
Intel® Xeon® Gold 6438N Processor	Intel	Sapphire Rapids	Q280	S-3	60	32	2	3.6	205	4800	
Intel® Xeon® Gold 6438Y+ Processor	Intel	Sapphire Rapids	Q27L	S-3	60	32	2	4	205	4800	
Intel® Xeon® Gold 6442Y Processor	Intel	Sapphire Rapids	Q27J	S-3	60	24	2.6	4	225	4800	
Intel® Xeon® Gold 6444Y Processor	Intel	Sapphire Rapids	Q27T	S-3	45	16	3.6	4	270	4800	
Intel® Xeon® Gold 6448H Processor	Intel	Sapphire Rapids	Q27S	S-3	60	32	2.4	4.1	250	4800	
Intel® Xeon® Gold 6448Y Processor	Intel	Sapphire Rapids	Q27M	S-3	60	32	2.1	4.1	225	4800	
Intel® Xeon® Gold 6454S Processor	Intel	Sapphire Rapids	Q23C	E-5	60	32	2.2	3.4	270	4800	
Intel® Xeon® Max 9460 Processor	Intel	Sapphire Rapids HBM	Q2HS	B-3	97.5	40	2.2	3.5	350	4800	
Intel® Xeon® Max 9462 Processor	Intel	Sapphire Rapids HBM	Q2HR	B-3	75	32	2.7	3.5	350	4800	
Intel® Xeon® Max 9468 Processor	Intel	Sapphire Rapids HBM	Q2HT	B-3	105	48	2	3.5	350	4800	
Intel® Xeon® Platinum 8444H Processor	Intel	Sapphire Rapids	Q23W	E-5	45	16	2.9	4	270	4800	
Intel® Xeon® Platinum 8450H Processor	Intel	Sapphire Rapids	Q244	E-5	75	28	2	3.5	250	4800	
Intel® Xeon® Platinum 8452Y Processor	Intel	Sapphire Rapids	Q246	E-5	67.5	36	2	3.2	300	4800	
Intel® Xeon® Platinum 8454H Processor	Intel	Sapphire Rapids	Q23R	E-5	82.5	32	2.1	3.4	270	4800	
Intel® Xeon® Platinum 8458P Processor	Intel	Sapphire Rapids	Q23F	E-5	82.5	44	2.7	3.8	350	4800	
Intel® Xeon® Platinum 8460H Processor	Intel	Sapphire Rapids	Q23V	E-5	105	40	2.2	3.8	330	4800	
Intel® Xeon® Platinum 8460Y+ Processor	Intel	Sapphire Rapids	Q238	E-5	105	40	2	3.7	300	4800	
Intel® Xeon® Platinum 8461V Processor	Intel	Sapphire Rapids	Q23E	E-5	97.5	48	2.2	3.7	300	4800	
Intel® Xeon® Platinum 8462Y+ Processor	Intel	Sapphire Rapids	Q27N	S-3	60	32	2.8	4.1	300	4800	
Intel® Xeon® Platinum 8468 Processor	Intel	Sapphire Rapids	Q237	E-5	105	48	2.1	3.8	350	4800	
Intel® Xeon® Platinum 8468H Processor	Intel	Sapphire Rapids	Q242	E-5	105	48	2.1	3.8	330	4800	
Intel® Xeon® Platinum 8468V Processor	Intel	Sapphire Rapids	Q23D	E-5	97.5	48	2.4	3.8	330	4800	
Intel® Xeon® Platinum 8470 Processor	Intel	Sapphire Rapids	Q236	E-5	105	52	2	3.8	350	4800	
Intel® Xeon® Platinum 8480+ Processor	Intel	Sapphire Rapids	Q23T	E-5	105	56	2	3.8	350	4800	
Intel® Xeon® Platinum 8490H Processor	Intel	Sapphire Rapids	Q23U	E-5	112.5	60	1.9	3.5	350	4800	
Intel® Xeon® Silver 4410T Processor	Intel	Sapphire Rapids	Q27V	S-3	26.25	10	2.7	4	150	4000	
Intel® Xeon® Silver 4410Y Processor	Intel	Sapphire Rapids	Q27D	S-3	30	12	2	3.9	150	4000	
Intel® Xeon® Silver 4416+ Processor	Intel	Sapphire Rapids	Q27F	S-3	37.5	20	2	3.9	165	4000	
Don't write "Test Items" under this line!!!											
Memory											
Product Name	Vendor	Memory Type	Size	Chip Brand	Rank	Voltage	Data Transfer Rate	Error Correction	CAS Latency	Pins	Note
RDIMM											
Don't write "Test Items" under this line!!!											
AO4V48UCSV1-BHRS	ADATA	DDR5	16GB	Samsung-Montage	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
AO4V48UCTV2-BHSS	ADATA	DDR5	32GB	Samsung-Montage	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		



KSM48R40BS8KMM-16HMR	Kingston	DDR5	16GB	Skhynix-Rambus	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
KSM48R40BS4TMM-32HMR	Kingston	DDR5	32GB	Skhynix-Rambus	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
MTC10F1084S1RC48BA1 NGCC	Micron	DDR5	16GB	Micron-IDT	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
MTC10F1084S1RC48BA1 HCCG	Micron	DDR5	16GB	Micron-IDT	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
MTC10F1084S1RC48BA1 NHFF	Micron	DDR5	16GB	Micron-Rambus	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
MTC18F1045S1PC48BA2 NGCC	Micron	DDR5	32GB	Micron-IDT	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
MTC20F2085S1RC48BA1 NGCC	Micron	DDR5	32GB	Micron-IDT	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
MTC20F1045S1RC48BA2 HCCH	Micron	DDR5	32GB	Micron-Rambus	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
MTC20F1045S1RC48BA2 HCCG	Micron	DDR5	32GB	Micron-IDT	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
MTC20F2085S1RC48BA1 HCCH	Micron	DDR5	32GB	Micron-Rambus	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
MTC20F1045S1RC48BA2 NGCC	Micron	DDR5	32GB	Micron-IDT	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
MTC20F2085S1RC48BA1 HCCG	Micron	DDR5	32GB	Micron-IDT	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
MTC20F208X51RC48BB1 NGCC	Micron	DDR5	48GB	Micron-IDT	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
MTC40F2046S1RC48BA1 FICC	Micron	DDR5	64GB	Micron-Montage	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
MTC40F2046S1RC48BA1 FCCI	Micron	DDR5	64GB	Micron-Montage	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
MTC40F2046S1RC48BA1 GCCG	Micron	DDR5	64GB	Micron-IDT	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
MTC36F2046S1PC48BA1 MHCC	Micron	DDR5	64GB	Micron-Rambus	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
M321R2GA3BB6-CQKVS	Samsung	DDR5	16GB	Samsung-Rambus	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
M321R2GA3BB6-CQKMG	Samsung	DDR5	16GB	Samsung-Montage	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
M321R2GA3BB6-CQKEG	Samsung	DDR5	16GB	Samsung-IDT	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
M321R2GA3BB6-CQKMS	Samsung	DDR5	16GB	Samsung-Montage	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
HMCG78AEBRA168N AA	SKhynix	DDR5	16GB	SKhynix-IDT	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
HMCG78AEBRA115N AA	SKhynix	DDR5	16GB	SKhynix-IDT	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
HMCG78AEBRA107N AA	SKhynix	DDR5	16GB	SKhynix-Montage	1Rx8	1.1v	4800MHz	ECC Registered	288-pin		
HMCG84AEBRA107N AA	SKhynix	DDR5	32GB	SKhynix-Montage	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
HMCG88AEBRA115N AA	SKhynix	DDR5	32GB	SKhynix-IDT	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
HMCG84AEBRA168N AA	SKhynix	DDR5	32GB	SKhynix-IDT	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
HMCG88MEBRA113N AA	SKhynix	DDR5	32GB	SKhynix-IDT	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
HMCG84AEBRA115N AA	SKhynix	DDR5	32GB	SKhynix-IDT	1Rx4	1.1v	4800MHz	ECC Registered	288-pin		
HMCG88AEBRA107N AA	SKhynix	DDR5	32GB	SKhynix-Montage	2Rx8	1.1v	4800MHz	ECC Registered	288-pin		
HMCG94AEBRA123N AA	SKhynix	DDR5	64GB	SKhynix-IDT	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
HMCG94MEBRA109N AA	SKhynix	DDR5	64GB	SKhynix-Montage	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		
HMCG94AEBRA109N AA	SKhynix	DDR5	64GB	SKhynix-Montage	2Rx4	1.1v	4800MHz	ECC Registered	288-pin		

Don't write "Test Items" under this line!!!

SATA/SAS HDD

Product Name	Vendor	Type	Form Factor	Format	Capacity	Interface Speed	Series	Cache	RPM	Encription	FW
SATA											
Don't write "Test Items" under this line!!!											
ST2000NX0253	Seagate	SATA	2.5"	512e	2TB	6Gb/s	Exos 7E2000	128MB	7200	N/A	
ST2000NX0243	Seagate	SATA	2.5"	4Kn	2TB	6Gb/s	Exos 7E2000	128MB	7200	N/A	
ST10000NM0016	Seagate	SATA	3.5"	512e	10TB	6Gb/s	Exos X10	256MB	7200	N/A	
ST14000NM0018	Seagate	SATA	3.5"	512e/4kn	14TB	6Gb/s	Exos X14	256MB	7200	N/A	
ST16000NM001G	Seagate	SATA	3.5"	512e/4Kn	16TB	6Gb/s	Exos X16	256MB	7200	N/A	
ST18000NM000J	Seagate	SATA	3.5"	512e/4Kn	18TB	6Gb/s	Exos X18	256MB	7200	N/A	
ST20000NM007D	Seagate	SATA	3.5"	512e/4Kn	20TB	6Gb/s	Exos X20	256MB	7200	N/A	
ST22000NM001E	Seagate	SATA	3.5"	512e	22TB	6Gb/s	Exos X22	512MB	7200	N/A	
MG08ADA800E	Toshiba	SATA	3.5"	512e	8TB	6Gb/s	MG08-D	256MB	7200	N/A	
MG08ACA16TE	Toshiba	SATA	3.5"	512e	16TB	6Gb/s	MG08	512MB	7200	N/A	
MG10ACA20TE	Toshiba	SATA	3.5"	512e	20TB	6Gb/s	MG10	512MB	7200	N/A	
HUS726T6TAL6L4	WD	SATA	3.5"	512e	6TB	6Gb/s	Ultrastar DC HC310	256MB	7200	N/A	
WUH721818ALE6L4	WD	SATA	3.5"	512e	18TB	6Gb/s	Ultrastar DC HC550	512MB	7200	N/A	
WUH722020BLE6L4	WD	SATA	3.5"	512e	20TB	6Gb/s	Ultrastar DC HC560	512MB	7200	N/A	

Don't write "Test Items" under this line!!!

SATA/SAS SSD

Product Name	Vendor	Type	Form Factor	Interface	Capacity	Interface Speed	Note
SATA							
Don't write "Test Items" under this line!!!							
MTFDDAK1T9TGB-1BC1ZABYY	Micron	SSD	2.5"	SATA	1.92TB	6Gb/s	5400 MAX Series
MZ7L31T9HBN-00A07	Samsung	SSD	2.5"	SATA	1.92TB	6Gb/s	PM897 Series
MZ7L33T8HBLT-00A07	Samsung	SSD	2.5"	SATA	3.84TB	6Gb/s	PM893 Series
MZ7L3480HCHQ-00A07	Samsung	SSD	2.5"	SATA	480GB	6Gb/s	PM893 Series

# GIGABYTE™

MZ7L3480HBLT-00A07	Samsung	SSD	2.5"	SATA	480GB	6Gb/s	PM897 Series
MZ7L3960HBLT-00A07	Samsung	SSD	2.5"	SATA	960GB	6Gb/s	PM897 Series
SSDSC2KG019TZ	Solidigm	SSD	2.5"	SATA	1.92TB	6Gb/s	D3-S4620 Series
SSDSC2KG038TZ	Solidigm	SSD	2.5"	SATA	3.84TB	6Gb/s	D3-S4620 Series
SSDSC2KG480GZ01	Solidigm	SSD	2.5"	SATA	480GB	6Gb/s	D3-S4620 Series
SSDSC2KG960GZ01	Solidigm	SSD	2.5"	SATA	960GB	6Gb/s	D3-S4620 Series

Don't write "Test Items" under this line!!!

## M.2

Product Name	Vendor	Type	Form Factor	Interface	Capacity	Interface Speed	Note
--------------	--------	------	-------------	-----------	----------	-----------------	------

## M.2

Don't write "Test Items" under this line!!!

MZ-1LB1T9N	Samsung	M.2	22110	PCIe(NVMe)	1.92TB	PCIe Gen3 x4	983 DCT Series
IM2P41B8-480GC	ADATA	M.2	2280	PCIe(NVMe)	480GB	PCIe Gen4 x4	
MTFDKBG1T9TDZ	Micron	M.2	22110	PCIe(NVMe)	1.92TB	PCIe Gen4 x4	7400 Pro Series
MTFDKBG3T8TFR	Micron	M.2	22110	PCIe(NVMe)	3.84TB	PCIe Gen4 x4	7450 Pro Series
MTFDKBA800TFS	Micron	M.2	2280	PCIe(NVMe)	800GB	PCIe Gen4 x4	7450 Max Series
MTFDKBA800TFC	Micron	M.2	2280	PCIe(NVMe)	800GB	PCIe Gen4 x4	7400 Max Series
ESO480GTLCW-EC-EPR3750GBT	PHISON	M.2	2280	PCIe(NVMe)	400GB	PCIe Gen4 x4	EPR3750 Series
MZ1L21T9HCLS	Samsung	M.2	22110	PCIe(NVMe)	1.92TB	PCIe Gen4 x4	PM9A3 Series
MZ1L2960HCJR	Samsung	M.2	22110	PCIe(NVMe)	960GB	PCIe Gen4 x4	PM9A3 Series
CA6-8D2048	SSSTC	M.2	2280	PCIe(NVMe)	2TB	PCIe Gen4 x4	CA6 Series

Don't write "Test Items" under this line!!!

## GPGPU

Product Name	Vendor	Processor Cores	Memory Bandwidth (GB/sec)	VRAM	OpenGL	DirectX	Graphics Card Power (W)	SLI / CrossFire Ready	Note
--------------	--------	-----------------	---------------------------	------	--------	---------	-------------------------	-----------------------	------

## Tesla

Don't write "Test Items" under this line!!!

A40	NVIDIA	10752	696 GB/s	48GB			300 W		
-----	--------	-------	----------	------	--	--	-------	--	--

Don't write "Test Items" under this line!!!

## LAN Card

Product Name	Vendor	Connector	System InterfaceType	# of Ports	Data Rate	Note
--------------	--------	-----------	----------------------	------------	-----------	------

## Broadcom

Don't write "Test Items" under this line!!!

BCM957414A4142CC	Broadcom	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	BCM57414 (P225P)
BCM957416A4160C	Broadcom	RJ-45	PCIe Gen3 x8	Dual	10Gb/s per port	BCM57416 (P210TP)
BCM957416N4160C-N210TP	Broadcom	RJ-45	OCPC PCIe Gen3 x8	Dual	10Gb/s per port	BCM57416 / Support OCP 3.0
BCM957508-P2100G	Broadcom	QSFP56	PCIe Gen4 x16	Dual	100Gb/s per port	BCM57508

Don't write "Test Items" under this line!!!

## Chelsio

Don't write "Test Items" under this line!!!

T62100-CR	Chelsio	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Power 22w
T62100-LP-CR	Chelsio	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Power 19w
T62100-SO-CR	Chelsio	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Power 16w

Don't write "Test Items" under this line!!!

## GIGABYTE

Don't write "Test Items" under this line!!!

CLN4222	GIGABYTE	RJ-45	PCIe Gen3 x4	Dual	10Gb/s per port	INTEL X550-AT2
CLN4224	GIGABYTE	RJ-45	PCIe Gen3 x8	Quad	10Gb/s per port	INTEL X550-AT2
CLN4751	GIGABYTE	QSFP+	PCIe Gen3 x8	Single	40Gb/s per port	INTEL XL710-BM1
CLN4752	GIGABYTE	QSFP+	PCIe Gen3 x8	Dual	40Gb/s per port	INTEL XL710-BM2
CLN4A10	GIGABYTE	RJ-45	PCIe Gen3 x8	Dual	1Gb/s per port	Broadcom BCM5720L
CLN4B20	GIGABYTE	RJ-45	PCIe Gen3 x8	Dual	10Gb/s per port	Broadcom BCM57416
CLN4D40	GIGABYTE	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	Broadcom BCM57414
CLNCA12	GIGABYTE	RJ-45	OCPC PCIe Gen2 x2	Dual	1Gb/s per port	Broadcom BCM5720 / Support OCP 3.0
CLNCB22	GIGABYTE	RJ-45	OCPC PCIe Gen3 x8	Dual	10Gb/s per port	Broadcom BCM57416 / Support OCP 3.0
CLNCD42	GIGABYTE	SFP28	OCPC PCIe Gen3 x8	Dual	25Gb/s per port	Broadcom BCM57414 / Support OCP 3.0

Don't write "Test Items" under this line!!!

## Intel

Don't write "Test Items" under this line!!!

E810-CQDA1	Intel	QSFP28	PCIe Gen4 x16	Single	100Gb/s per port	
------------	-------	--------	---------------	--------	------------------	--

# GIGABYTE™

E810-CQDA2 for OCP	Intel	QSFP28	OCP PCIe Gen4 x16	Dual	100Gb/s per port	Support OCP 3.0
E810-XXVDA2 for OCP	Intel	SFP28	OCP PCIe Gen4 x8	Dual	25Gb/s per port	Support OCP 3.0
E810-XXVDA4	Intel	SFP28	PCIe Gen4 x16	Quad	25Gb/s per port	Controller E810-CAM1
X722-DA4	Intel	SFP+	PCIe Gen3 x8	Quad	10Gb/s per port	
XL710-QDA2	Intel	QSFP+	PCIe Gen3 x8	Dual	40Gb/s per port	
XXV710-DA2	Intel	SFP28	PCIe Gen3 x8	Dual	25Gb/s per port	
Don't write "Test Items" under this line!!!						
<b>NVIDIA</b>						
Don't write "Test Items" under this line!!!						
MBF2H332A-AEOT	NVIDIA	SFP56	PCIe Gen4 x8	Dual	25Gb/s per port	P-Series/ 2.5GHz
MCX515A-CCAT	NVIDIA	QSFP28	PCIe Gen3 x16	Single	100Gb/s per port	Mellanox ConnectX-5 EN
MCX516A-CCAT	NVIDIA	QSFP28	PCIe Gen3 x16	Dual	100Gb/s per port	Mellanox ConnectX-5 EN
MCX565M-CDAB	NVIDIA	QSFP28	OCP PCIe Gen4 x16	Single	100Gb/s per port	Mellanox ConnectX@-5 Ex Multi-Host / Support OCP 3
MCX623105AN-CDAT	NVIDIA	QSFP56	PCIe Gen4 x16	Single	100Gb/s per port	Mellanox ConnectX@-6 Dx No Crypto, No Secure Boot
MCX623106AN-CDAT	NVIDIA	QSFP56	PCIe Gen4 x16	Dual	100Gb/s per port	Mellanox ConnectX@-6 Dx No Crypto, No Secure Boot
MCX631102AN-ADAT	NVIDIA	SFP28	PCIe Gen4 x8	Dual	25Gb/s per port	Mellanox ConnectX@-6 Lx without Crypto
MCX631432AN-ADAB	NVIDIA	SFP28	OCP PCIe Gen4 x8	Dual	25Gb/s per port	Mellanox ConnectX@-6 Lx without Crypto / Support O
MCX653105A-ECAT	NVIDIA	QSFP56	PCIe Gen4 x16	Single	100Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)
MCX653106A-ECAT	NVIDIA	QSFP56	PCIe Gen4 x16	Dual	100Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)
MCX653106A-HDAT	NVIDIA	QSFP56	PCIe Gen4 x16	Dual	200Gb/s per port	Mellanox ConnectX-6 Ex VPI (InfiniBand)
MCX683105AN-HDAT	NVIDIA	QSFP	PCIe Gen4 x16	Single	200Gb/s per port	Mellanox ConnectX-6 DE VPI (InfiniBand)
MCX75310AAS-NEAT	NVIDIA	OSFP	PCIe Gen5 x16	Single	400Gb/s per port	NVIDIA ConnectX-7 VPI (InfiniBand)
MCX75510AAS-NEAT	NVIDIA	OSFP	PCIe Gen5 x16	Single	400Gb/s per port	Mellanox ConnectX-7 (without Dual-Slot Socket Dire
Don't write "Test Items" under this line!!!						